



**Professional Hair Labs™**  
World Leader in Cosmetic Bonding



Phone:

USA: 1.800.778.4247  
UK: +44 (0)20 3286 0094  
Germany: +49 (0)30 2089 6831  
Ireland: +353.(0)1.442.8808

Media:

Web: <http://www.prohairlabs.com>  
Email: [info@prohairlabs.com](mailto:info@prohairlabs.com)  
Facebook: Professional Hair Labs

Address:

USA: 4775 Allen Road, Zephyrhills, Florida 33541  
Ireland: Avalon, Sinnottstown Lane, Drinagh, Wexford

***TRANSDERMAL Type II Remover***  
***Material Safety Data Sheet***

Product: Remover, Type II  
Color: Pale Orange  
Odor: Strong Citrus  
NFPA: Health 0, Flammability 0, Reactivity 0.

**Health Data:**

Remover is a strong defatting agent, and prolonged and acute exposure may cause dermatitis. There are no adverse effects with short time exposure.

**First Aid Procedures:**

Vapor Inhalation:

No toxic manifestation. If liquid is inhaled into the lungs, get immediate help.  
Delay could cause serious illness or even death.

Eye Contact:

Remove any contact lenses, then immediately flush with water for 15 minutes. If irritation persists, contact a physician.

Skin Contact:

Slight irritation in rare cases with extended contact. Wash with soap & water.

Ingestion:

DO NOT INDUCE VOMITING. Get immediate medical help. Inhalation into the lungs could be fatal.

Fire & Explosion Hazard:

None

Other information

n.a. = not applicable n.s. = not subject to

Type II Remover has been developed for use as an adhesive remover for hair units. If Type II Remover is to be used for another process, the user should verify, by means of tests etc, that the product is suitable for the intended application.

The above information describes exclusively the safety requirements for the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. The delivery specification is to be found in the respective product leaflet.

The information contained in this sheet does not constitute a hazard assessment, and should not be used in place of the user's own assessment of workplace risks as required by other health and safety legislation. Our data and suggestions are based on information which we believe to be reliable. Users should verify by tests that our product as well as suggested methods are suitable with the product / materials being used in their application. Since specific use, materials and handling are not controlled by us, our warranty is limited to the replacement of any defective product supplied by us. Full technical support is available from our trained sales staff.